

Certificate of Product Approval

Certificate Number: 463d Issue: 05



NAFFCO FZ Co

PO Box 17014 Jebel Ali Dubai United Arab Emirates

is certified by BRE Global Ltd. and is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirement(s) of the standards as detailed below:

Products

'NAFFCO' Fire Hose Reels

(Refer to attached appendix for details)

Standards

EN 671-1:2012

Fixed firefighting systems. Hose systems. Hose reels with semi-rigid hose

This certificate and appendix is maintained and held in force through regular surveillance activities

S.A.Cowal

Sarah Colwell
Signed for BRE Global Ltd. Verifier

12 August 2021

26 October 2007

Date of First Issue

LPCB B



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







'NAFFCO' Fire Hose Reels to EN 671-1:2012

Product Name	Description	Hose Nominal Bore (mm)	Hose Maximum Length (m)	Nozzle type	LPCB Ref. No.
19NFH-020A	swinging arm, automatic, plastic rotary nozzle, mild steel reels	19	30	jet/spray	463d/01
19NFH-020AB	swinging arm, automatic, brass rotary nozzle, mild steel reels	19	30	jet/spray	463d/15
19NFH-020A/SS	swinging arm, automatic, plastic rotary nozzle, stainless steel reels	19	30	jet/spray	463d/16
19NFH-020A/SS-B	swinging arm, automatic, brass rotary nozzle, stainless steel reels	19	30	jet/spray	463d/17
19NFH-030A	swinging pipe, automatic, plastic rotary nozzle, mild steel reels	19	30	jet/spray	463d/02
19NFH-030AB	swinging pipe, automatic, brass rotary nozzle, mild steel reels	19	30	jet/spray	463d/18
19NFH-030A/SS	swinging pipe, automatic, plastic rotary nozzle, stainless steel reels	19	30	jet/spray	463d/19
19NFH-030A/SS-B	swinging pipe, automatic, brass rotary nozzle, stainless steel reels	19	30	jet/spray	463d/20
19NFH-040A	fixed, automatic, plastic rotary nozzle, mild steel reels	19	30	jet/spray	463d/03
19NFH-040AB	fixed, automatic, brass rotary nozzle, mild steel reels	19	30	jet/spray	463d/21
19NFH-040A/SS	fixed, automatic, plastic rotary nozzle, stainless steel reels	19	30	jet/spray	463d/22
19NFH-040A/SS-B	fixed, automatic, brass rotary nozzle, stainless steel reels	19	30	jet/spray	463d/23

This certificate and appendix is maintained and held in force through regular surveillance activities



td. Verifie

12 August 2021

26 October 2007

Signed for BRE Global Ltd.

Sarah Colwell Verifier

Date of Issue

Date of First Issue





This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







'NAFFCO' Fire Hose Reels to EN 671-1:2012

Product Name	Description	Hose Nominal Bore (mm)	Hose Maximum Length (m)	Nozzle type	LPCB Ref. No.
19NFH-020M	swinging arm, manual, plastic rotary nozzle, mild steel reels	19	30	jet/spray	463d/04
19NFH-020MB	swinging arm, manual, brass rotary nozzle, mild steel reels	19	30	jet/spray	463d/24
19NFH-020M/SS	swinging arm, manual, plastic rotary nozzle, stainless steel reels	19	30	jet/spray	463d/25
19NFH-020M/SS-B	swinging arm, manual, brass rotary nozzle, stainless steel reels	19	30	jet/spray	463d/26
19NFH-030M	swinging pipe, manual, plastic rotary nozzle, mild steel reels	19	30	jet/spray	463d/05
19NFH-030MB	swinging pipe, manual, brass rotary nozzle, mild steel reels	19	30	jet/spray	463d/27
19NFH-030M/SS	swinging pipe, manual, plastic rotary nozzle, stainless steel reels	19	30	jet/spray	463d/28
19NFH-030M/SS-B	swinging pipe, manual, brass rotary nozzle, stainless steel reels	19	30	jet/spray	463d/29
19NFH-040M	fixed, manual, plastic rotary nozzle, mild steel reels	19	30	jet/spray	463d/06
19NFH-040MB	fixed, manual, brass rotary nozzle, mild steel reels	19	30	jet/spray	463d/30
19NFH-040M/SS	fixed, manual, plastic rotary nozzle, stainless steel reels	19	30	jet/spray	463d/31
19NFH-040M/SS-B	fixed, manual, brass rotary nozzle, stainless steel reels	19	30	jet/spray	463d/32

This certificate and appendix is maintained and held in force through regular surveillance activities



Sarah Colwell

12 August 2021

26 October 2007

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue





This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







'NAFFCO' Fire Hose Reels to EN 671-1:2012

Product Name	Description	Hose Nominal Bore (mm)	Hose Maximum Length (m)	Nozzle type	LPCB Ref. No.
25NFH-020A	swinging arm, automatic, plastic rotary nozzle, mild steel reels	25	30	jet/spray	463d/07
25NFH-020AB	swinging arm, automatic, brass rotary nozzle, mild steel reels	25	30	jet/spray	463d/33
25NFH-020A/SS	swinging arm, automatic, plastic rotary nozzle, stainless steel reels	25	30	jet/spray	463d/34
25NFH-020A/SS-B	swinging arm, automatic, brass rotary nozzle, stainless steel reels	25	30	jet/spray	463d/35
25NFH-030A	swinging pipe, automatic, plastic rotary nozzle, mild steel reels	25	30	jet/spray	463d/08
25NFH-030AB	swinging pipe, automatic, brass rotary nozzle, mild steel reels	25	30	jet/spray	463d/36
25NFH-030A/SS	swinging pipe, automatic, plastic rotary nozzle, stainless steel reels	25	30	jet/spray	463d/37
25NFH-030A/SS-B	swinging pipe, automatic, brass rotary nozzle, stainless steel reels	25	30	jet/spray	463d/38
25NFH-040A	fixed, automatic, plastic rotary nozzle, mild steel reels	25	30	jet/spray	463d/09
25NFH-040AB	fixed, automatic, brass rotary nozzle, mild steel reels	25	30	jet/spray	463d/39
25NFH-040A/SS	fixed, automatic, plastic rotary nozzle, stainless steel reels	25	30	jet/spray	463d/40
25NFH-040A/SS-B	fixed, automatic, brass rotary nozzle, stainless steel reels	25	30	jet/spray	463d/41

This certificate and appendix is maintained and held in force through regular surveillance activities

S.A.Colwell

Sarah Colwell

12 August 2021

26 October 2007

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue





This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







Issue: 05

'NAFFCO' Fire Hose Reels to EN 671-1:2012

Product Name	Description	Hose Nominal Bore (mm)	Hose Maximum Length (m)	Nozzle type	LPCB Ref. No.
25NFH-020M	swinging arm, manual, plastic rotary nozzle, mild steel reels	25	30	jet/spray	463d/10
25NFH-020MB	swinging arm, manual, brass rotary nozzle, mild steel reels	25	30	jet/spray	463d/42
25NFH-020M/SS	swinging arm, manual, plastic rotary nozzle, stainless steel reels	25	30	jet/spray	463d/43
25NFH-020M/SS-B	swinging arm, manual, brass rotary nozzle, stainless steel reels	25	30	jet/spray	463d/44
25NFH-030M	swinging pipe, manual, plastic rotary nozzle, mild steel reels	25	30	jet/spray	463d/11
25NFH-030MB	swinging pipe, manual, brass rotary nozzle, mild steel reels	25	30	jet/spray	463d/45
25NFH-030M/SS	swinging pipe, manual, plastic rotary nozzle, stainless steel reels	25	30	jet/spray	463d/46
25NFH-030M/SS-B	swinging pipe, manual, brass rotary nozzle, stainless steel reels	25	30	jet/spray	463d/47
25NFH-040M	fixed, manual, plastic rotary nozzle, mild steel reels	25	30	jet/spray	463d/12
25NFH-040MB	fixed, manual, brass rotary nozzle, mild steel reels	25	30	jet/spray	463d/48
25NFH-040M/SS	fixed, manual, plastic rotary nozzle, stainless steel reels	25	30	jet/spray	463d/49
25NFH-040M/SS-B	fixed, manual, brass rotary nozzle, stainless steel reels	25	30	jet/spray	463d/50

This certificate and appendix is maintained and held in force through regular surveillance activities



Sarah Colwell

12 August 2021

26 October 2007

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue





This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







Issue: 05

Notes for 'NAFFCO' Fire Hose Reels to EN 671-1:2012:

The 'NAFFCO' fire hose reels are approved for use in conjunction with NLSV-25 Lock Shield Valve to BS 5154 and the following cabinets:

Product Name	Description
NF-SM-300	Single cabinet, surface mounted, mild steel, solid door.
NF-RM-300	Single cabinet, recess mounted, mild steel, solid door.
NF-SSB-300	Single cabinet, surface mounted, brush finish stainless steel, solid door.
NF-SSM-300	Single cabinet, surface mounted, mirror finish stainless steel, solid door.
NF-RSB-300	Single cabinet, recess mounted, brush finish stainless steel, solid door.
NF-RSM-300	Single cabinet, recess mounted, mirror finish stainless steel, solid door.
NF-SMK-300	Single cabinet, surface mounted, mild steel, solid door, break glass and key.
NF-RMK-300	Single cabinet, recess mounted, mild steel, solid door, break glass and key.
NF-SSBK-300	Single cabinet, surface mounted, brush finish stainless steel, solid door, break glass and key.
NF-SSMK-300	Single cabinet, surface mounted, mirror finish stainless steel, solid door, break glass and key.
NF-RSBK-300	Single cabinet, recess mounted, brush finish stainless steel, solid door, break glass and key.
NF-RSMK-300	Single cabinet, recess mounted, mirror finish stainless steel, solid door, break glass and key.
NF-SM-900	Double vertical cabinet, surface mounted, mild steel, solid door.
NF-RM-900	Double vertical cabinet, recess mounted, mild steel, solid door.
NF-SSB-900	Double vertical cabinet, recess mounted, mild steel, solid door.
NF-SSM-900	Double vertical cabinet, surface mounted, mirror finish stainless steel, solid door.
NF-RSB-900	Double vertical cabinet, recess mounted, brush finish stainless steel, solid door.
NF-RSM-900	Double vertical cabinet, recess mounted, mirror finish stainless steel, solid door.
NF-SMK-900	Double vertical cabinet, surface mounted, mild steel, solid door, break glass and key.
NF-RMK-900	Double vertical cabinet, recess mounted, mild steel, solid door, break glass and key.

This certificate and appendix is maintained and held in force through regular surveillance activities

S.A.Cowal

Sarah Colwell

12 August 2021

26 October 2007

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue





This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: <u>enquiries@breglobal.com</u>

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







Description
Double vertical cabinet, surface mounted, brush finish stainless steel, solid door, break glass and key.
Double vertical cabinet, surface mounted, mirror finish stainless steel, solid door, break glass and key.
Double vertical cabinet, recess mounted, brush finish stainless steel, solid door, break glass and key.
Double vertical cabinet, recess mounted, mirror finish stainless steel, solid door, break glass and key.
Single cabinet, surface mounted, mild steel, solid door, piano hinge.
Single cabinet, recess mounted, mild steel, solid door, piano hinge.
Single cabinet, surface mounted, mild steel, solid door, piano hinge, break glass and key.
Single cabinet, recess mounted, mild steel, solid door, piano hinge, break glass and key.
Double vertical cabinet, surface mounted, mild steel, glass door, break glass and key.
Double vertical cabinet, recess mounted, mild steel, glass door, break glass and key.
Double vertical cabinet, surface mounted, brush finish stainless steel, glass door, break glass and key.
Double vertical cabinet, surface mounted, mirror finish stainless steel, glass door, break glass and key.
Double vertical cabinet, recess mounted, brush finish stainless steel, glass door, break glass and key.
Double vertical cabinet, recess mounted, mirror finish stainless steel, glass door, break glass and key.
Double vertical cabinet, surface mounted, mild steel, solid door, piano hinge.
Double vertical cabinet, recess mounted, mild steel, solid door, piano hinge.
Double vertical cabinet, surface mounted, mild steel, glass door, piano hinge.
Double vertical cabinet, recess mounted, mild steel, glass door, piano hinge.
Double vertical cabinet, surface mounted, brush finish stainless steel, glass door, piano hinge.
Double vertical cabinet, surface mounted, mirror finish stainless steel, glass door, piano hinge.
Double vertical cabinet, recess mounted, brush finish stainless steel, glass door, piano hinge.
Double vertical cabinet, recess mounted, mirror finish stainless steel, glass door, piano hinge.

This certificate and appendix is maintained and held in force through regular surveillance activities

S.A.Cowal

Sarah Colwell

12 August 2021

26 October 2007

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue





This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.







Product Name	Description
NF-SMPK-900	Double vertical cabinet, surface mounted, mild steel, solid door, piano hinge, break glass and key.
NF-RMPK-900	Double vertical cabinet, recess mounted, mild steel, solid door, piano hinge, break glass and key.
NF-SMGP-900	Double vertical cabinet, surface mounted, mild steel, glass door, piano hinge.
NF-RMGP-900	Double vertical cabinet, recess mounted, mild steel, glass door, piano hinge.
NF-SMGPK-900	Double vertical cabinet, surface mounted, mild steel, glass door, piano hinge, break glass and key
NF-RMGPK-900	Double vertical cabinet, recess mounted, mild steel, glass door, piano hinge, break glass and key.

This certificate and appendix is maintained and held in force through regular surveillance activities

5.ACdwell

Sarah Colwell

12 August 2021

26 October 2007


Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue

This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms). To check the validity of this certificate and appendix please visit



T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



