

Loss Prevention Certification Board

LPCB

This is to certify

National Fire Fighting Manufacturing Company Limited
PO Box 17014, Jebel Ali, Dubai, UAE

is authorised to use the LPCB mark in association with the
product(s) listed in this certificate and appendix.

Pillar Fire Hydrants
(refer to attached appendix for details)

which have complied with the requirements of the following:

BS EN 14384:2005 Pillar Fire Hydrants

Certificate No. 463n

Issue No. 03

Date of Issue 17 July 2013

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please
visit our website www.RedBookLive.com or contact us.

Signed on behalf of LPCB



B W Lywood



LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions
and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 463n

National Fire Fighting Manufacturing Company Limited

Certificate No. 463n to BS EN 14384

Model	Inlet Size	Hose Outlet	Pumper Outlet	LPCB Ref. No.
100 NHC - 800	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/01
100 NHC - 1200	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/02
100 NFHV - 800	4" (DN 100)	2 x 2½" straight landing valve with BS 336 quick coupling	1 x G4" (100mm)	463n/03
100 NFHV - 1200	4" (DN 100)	2 x 2½" straight landing valve with BS 336 quick coupling	1 x G4" (100mm)	463n/04
150 NFHV - 800	6" (DN 150)	2 x 2½" straight landing valve with BS 336 quick coupling	1 x G4" (100mm)	463n/05
150 NFHV - 1200	6" (DN 150)	2 x 2½" straight landing valve with BS 336 quick coupling	1 x G4" (100mm)	463n/06
100 NFHQ - 800	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/07
100 NFHQ - 1200	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/08
150 NFHQ - 800	6" (DN 150)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/09
150 NFHQ - 1200	6" (DN 150)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/10

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please visit our website www.RedBookLive.com or contact us.

Signed on behalf of LPCB

Page 2 of 3

Date of Issue 17 July 2013

Issue No. 03

B W Lywood

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions and is maintained and held in force through regular surveillance activities.

Loss Prevention Certification Board

LPCB

APPENDIX TO CERTIFICATE NO. 463n

National Fire Fighting Manufacturing Company Limited

Certificate No. 463n to BS EN 14384

Model	Inlet Size	Hose Outlet	Pumper Outlet	LPCB Ref. No.
100 NFHQC - 800	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/11
100 NFHQC - 1200	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/12
150 NFHQC - 800	6" (DN 150)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/13
150 NFHQC - 1200	6" (DN 150)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/14
100 NFHQS-CD - 800	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/15
100 NFHQS-CD - 1200	4" (DN 100)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/16
150 NFHQS-CD - 800	6" (DN 150)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/17
150 NFHQS-CD - 1200	6" (DN 150)	2 x G2½" BS 336 quick coupling	1 x G4" (100mm)	463n/18

This certificate is valid until withdrawn by LPCB.
To check the validity and the authenticity of this certificate please
visit our website www.RedBookLive.com or contact us.

Signed on behalf of LPCB

Page 3 of 3

Date of Issue 17 July 2013

Issue No. 03



B W Lywood

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. Tel +44 (0)1923 664100
Fax +44 (0)1923 664603 www.RedBookLive.com

This certificate remains the property of BRE Global Ltd and is issued subject to terms and conditions
and is maintained and held in force through regular surveillance activities.